

ARMY RESEARCH LABORATORY



Semiconductor Bridge Initiators Igniting Multicomponent Propelling Charges

Stephen L. Howard
Lang-Mann Chang

ARL-MR-314

June 1996

19960708 035

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

DTIC QUALITY INSPECTED 1

NOTICES

Destroy this report when it is no longer needed. DO NOT return it to the originator.

Additional copies of this report may be obtained from the National Technical Information Service, U.S. Department of Commerce, 5285 Port Royal Road, Springfield, VA 22161.

The findings of this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The use of trade names or manufacturers' names in this report does not constitute indorsement of any commercial product.

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project(0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE June 1996	3. REPORT TYPE AND DATES COVERED Final, Oct 1994 - Sept 1995	
4. TITLE AND SUBTITLE Semiconductor Bridge Initiators Igniting Multicomponent Propelling Charges			5. FUNDING NUMBERS PR: 1L161102AH43	
6. AUTHOR(S) Stephen L. Howard and Lang-Mann Chang				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U. S. Army Research Laboratory ATTN: AMSRL-WT-PA Aberdeen Proving Ground, MD 21055-5066			8. PERFORMING ORGANIZATION REPORT NUMBER ARL-MR-314	
9. SPONSORING/MONITORING AGENCY NAMES(S) AND ADDRESS(ES)			10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) Safe operation of a gun system incorporating multicomponent charges requires a good ignition system. One such proposed system for large-caliber guns involves the use of semiconductor bridge initiators (SCBIs) to commence the interior ballistic cycle. This simulator study demonstrated the feasibility of using SCBIs to simultaneously ignite multicomponent propelling charges. The flamespread simulator (76-mm I.D.) at the U.S. Army Research Laboratory, at Aberdeen Proving Ground, MD, was used to simulate ignition of a multicomponent charge. Use of up to three distinct increments was possible in this simulator. Each increment contained an SCBI in a black powder basepad on top of inert propellant. The firing voltage was applied through a modified M83 headstock to the first increment. The other increments made physical and electrical contact to the first increment by electrically conductive Velcro (a conductive polymer material that would leave no residue in gun firings). Pressure-time histories were obtained from pressure gauges located in the wall of the simulator near the location of each basepad. Pressure-time histories of SCBI initiation of the basepads showed smooth, nearly simultaneous ignition of each of the basepads. The method of indirect electrical contact between increments showed no adverse effects, thus allowing completely separate propelling increments to utilize electrical ignition in each increment. The use of electrically conductive organic polymers is being investigated to replace metallic wiring within each increment.				
14. SUBJECT TERMS ignition studies; primers; flamespreading; gun simulator; semiconductor bridge initiators			15. NUMBER OF PAGES 23	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT SAR	

INTENTIONALLY LEFT BLANK.

TABLE OF CONTENTS

	<u>Page</u>
LIST OF FIGURES	v
1. INTRODUCTION	1
2. EXPERIMENTAL	2
3. RESULTS AND DISCUSSION	4
4. SUMMARY	9
5. REFERENCES	11
DISTRIBUTION LIST	13

INTENTIONALLY LEFT BLANK.

LIST OF FIGURES

<u>Figure</u>	<u>Page</u>
1. Cross-sectional view of flamespread simulator.....	3
2. Schematic of inert charge increment containing SCBI and black powder.	4
3. End view of inert charge increment showing Velcro™ placement.....	5
4. Faulty electrical schematic for a three-increment charge.	6
5. Schematic of electrical components linked together for a three-increment charge.....	6
6. Pressure-time histories of three increments using C3 black powder basepads.....	8
7. Pressure-time histories of three increments augmented with C5 black powder in the basepads.....	8

INTENTIONALLY LEFT BLANK.

1. INTRODUCTION

Gun propulsion systems rely heavily upon a good ignition system. One such proposed system for large-caliber guns involves the use of semiconductor bridge initiators (SCBIs) to commence the interior ballistic cycle. The SCBI is physically small and has an inherently small time delay for initiation; newer versions can have a digitally programmable time delay. These features are ideal for multipoint, controlled sequence ignition of propellant beds or for ignition of multi-increment propelling charges. This simulator study demonstrates the feasibility of using SCBIs to simultaneously ignite multi-increment propelling charges.

Electrically initiated ammunition typically utilizes a small bridgewire to ignite subsequent igniter material, pyrotechnics, or propellants. There has been a lot of research to prevent accidental activation of the bridgewire assembly when the ammunition is exposed to radio-frequency or other large-field electrical environments. One approach to surmount this problem is the use of an SCBI as the electrical initiator component. The SCBI has demonstrated adequate resistance to these environments and has qualified as a tentative Hazards of Electromagnetic Radiation to Ordnance (HERO) igniter (Hartman and McCampbell 1992). As with conventional igniters, this safety feature is only one of the considerations to be examined for successful ignition.

A single-increment propelling charge can produce excessive pressure waves if the ignition stimulus is improperly applied (May and Horst 1978); a multi-increment charge has an even greater possibility to produce excessive pressure waves since each component interface produces additional ignition impediments (Williams and Chang 1993; Chang, Grosh, and Deas 1993). One method to overcome ignition impediments due to component interfaces is to place an ignition source in each component. This method of necessity requires that the igniter be small and that the firing impetus be transmitted successfully to each igniter. Electrical impulses are easier to transmit to each component than are percussion impulses. The SCBI igniter satisfies these two requirements if electrical connections can be made between components.

This report discusses a means of making physical and electrical connections between the separate components of a multi-increment charge. The pressure-time histories of up to three charge components ignited simultaneously are presented. A possible means of replacing the metallic wiring within each component is also discussed.

2. EXPERIMENTAL

The flamespread chamber (Kooker, Chang, and Howard 1992; Kooker, Howard, and Chang 1994) has been described elsewhere, and only its salient features are discussed here. The flamespread chamber (Figure 1) consisted of a transparent acrylic tube (interior diameter of 76 mm with an axial dimension of 350 mm) contained in a steel confinement casing that was designed (for safety purposes) to withstand pressures generated within the acrylic tube that are in excess of 70 MPa (10,000 psig). The acrylic chamber was fitted with a rupture disk rated at 21 MPa (3,000 psig). Therefore, the highest expected pressure was in the neighborhood of 21 MPa (3,000 psig). Ports were machined in the steel casing and the acrylic tube for pressure transducers. Each of the pressure transducers was at the same axial position as the basepad.




Figure 1. Cross-sectional view of flamespread simulator.

For these experiments, three separate charge increments constructed of cardboard filled with inert propellant grains were placed in the acrylic casing. Each increment also contained a basepad and copper wiring that transmitted the electrical impulse from one end of the increment to the other end. The basepad containing an SCBI and approximately 10 g of Class 3 (C3) black powder was placed on top of the inert propellant grains (Figure 2). The SCBI was electrically connected to two patches of electrically conductive Velcro™ located at each end of the increment. The firing line entered the simulator via a high-pressure electrical feedthrough in the top of the simulator.




Figure 2. Schematic of inert charge increment containing SCBI and black powder.

3. RESULTS AND DISCUSSION

Figure 3 shows the placement of the Velcro™ pads for these experiments. The placement on the face of the increment was arbitrary (the only consideration was that a hook patch attached to a weave patch) and would not be the same as in the final design. The pads are essentially a polymeric material that can easily be cut to any shape (possibly disks of different diameters). However, since Velcro™ is composed of two distinct elements (the hook cloth and the weave cloth), the proper electrical continuity can be maintained from increment to increment by consistently attaching the same wire lead to the hook or to the weave element.




Figure 3. End view of inert charge increment showing Velcro™ placement.

An additional feature of Velcro™ is that once an increment with patches is pushed up to the mating Velcro™ material, the hook and weave pieces intermesh and physically attach to each other. Therefore, separate charge increments can be physically linked together in the gun chamber. This advantage is evident if the round in the gun chamber needs to be retracted for various reasons without firing.

The SCBI initiates by forming a localized plasma—in essence, a short circuit between the leads of the SCBI. Even though SCBIs initiate within a few microseconds of each other, if several units are placed in a parallel circuit as shown in Figure 4 (the case of three increments to be initiated) and one unit initiates slightly faster than the others, other SCBIs can be robbed of the current needed to initiate. A resistor (see Figure 5) was placed in series with the SCBI so that the resistance in each increment was balanced both before and after the SCBI initiation. With the resistor, when an SCBI initiates, that part of the circuit still has an appreciable resistance, and the other parts of the circuit will still operate.




Figure 4. Faulty electrical schematic for a three-increment charge.

The SCBI in each increment was electrically attached to the Velcro™ pads as shown in Figure 5. For the circuit in Figure 5, the resistance in each series part of the circuit prior to firing was measured at $3.3\ \Omega$, and the total circuit resistance for three increments was measured at $1.1\ \Omega$. After these test firings, the total circuit resistance was not large, as is the usual case, but was measured at $0.7\ \Omega$ (due to conductive black powder residues). In the case of a live firing, the resistance afterward would be large since the resistors and the SCBI remnants would have exited the gun.




Figure 5. Schematic of electrical components linked together for a three-increment charge.

There is some indication in current multi-increment charge firing (using a different ignition system) that the ignition stimulus does not sequentially progress from one increment to the next

until all increments are ignited (Chang, Williams, and Howard 1995); rather, ignition may skip one or more increments and occur out of sequence in another increment. A rearward traveling wave then ignites the skipped increments. This rearward traveling wave can produce a pressure wave that, at best, robs performance or can lead to conditions that have been blamed for gun failures (May and Horst 1978; Horst 1986). Adverse pressure waves can be reduced if a sequential ignition can be achieved.

To achieve sequential ignition with SCBIs, a time-programmable SCBI would be required. At this time, such SCBIs have not yet been procured so sequenced ignition was not evaluated. Therefore, a simultaneous firing sequence for these experiments was attempted. This firing sequence, if successful, would vastly reduce the possibility of formation of adverse pressure waves since the entire propelling charge would ignite at the same time.

Figure 6 shows the pressure-time histories from the three pressure gauges produced by the ignition of C3 black powder in the basepads. The firing voltage was held for 100 ms, but (as shown in Figure 6) this amount of time was excessive, and at most a few milliseconds would have been sufficient. The three pressure traces track quite closely during the ignition event. However, the ignition delay was about 25 ms. While this result is adequate for artillery ammunition, it is not acceptable for tank ammunition at ambient temperature. Using the trend noticed in preliminary investigations of SCBI ignition of black powder (Howard, Chang, and Atkson 1993), it was decided to place the SCBI inside a small basepad containing 0.7 g of Class 5 (C5) black powder. The small basepad was then inserted into the larger basepad containing Class 3 black powder (the original amount of 10 g of Class 3 black powder was unchanged). As readily shown in Figure 7, the smaller grain particle size reduced the ignition delay time to about 15 ms. In addition, the initial pressure rise (83 kPa/ms versus 48 kPa/ms) was also greater with the C5 black powder insert. Efforts to further shorten the ignition delay time are underway (Howard and Chang 1995).




Figure 6. Pressure-time histories of three increments using C3 black powder basepads.




Figure 7. Pressure-time histories of three increments augmented with C5 black powder in the basepads.

It has been suggested that metallic wiring in the increments may introduce residues near the breech area. Preliminary efforts to investigate the use of polyaniline or other suitable polymeric material that would serve as the electrical pathway across the increment are underway. These results will be reported in the future.

4. SUMMARY

SCBIs have been used to successfully achieve simultaneous ignition of the black powder basepads in a multi-increment simulator charge consisting of three increments. The ignition events as recorded by pressure gauges showed essentially identical ignition delay times and initial pressure rises in all three increments. Ignition of Class 3 black powder by the SCBI produced an ignition time delay of approximately 25 ms. When a small quantity of Class 5 black powder was placed about the SCBI and inserted into the Class 3 basepad, the ignition delay time was reduced to approximately 15 ms.

This magnitude of ignition delay time is acceptable for artillery ammunition but may be still too long for tank ammunition. Further work is needed to augment the SCBI output as was done with the C5 black powder in order to shorten the ignition delay time to acceptable levels for tank ammunition. Use of polymeric material to replace metallic components currently utilized for the electrical pathways is under consideration.

INTENTIONALLY LEFT BLANK.

5. REFERENCES

- Chang, L.-M., J. Grosh, and R. W. Deas. "Experimental Studies of a Combustible Ignition System for a Two-Piece Tank Cartridge." ARL-TR-314, U.S. Army Research Laboratory, Aberdeen Proving Ground, MD, December 1993.
- Chang, L.-M., A. W. Williams, and S. L. Howard. "Ignition Studies of Potential Ignition System Designs for 155-mm Modular Artillery Charge System (MACS)." Proceedings of 32nd JANNAF Combustion Meeting, 1995.
- Hartman, J. K., and C. B. McCampbell. "HERO Resistant Semiconductor Bridge Igniter." 29th JANNAF Combustion Meeting, CPIA Publication 593, vol. II, p. 193, 1992.
- Horst, A. W. "Breechblow Phenomenology Revisited." BRL-TR-2707, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, January 1986.
- Howard, S. L., L.-M. Chang. "Enhancement of Semiconductor Bridge Initiators for Ignition of Large-Caliber Ammunition." ARL-TR-776, U.S. Army Research Laboratory, Aberdeen Proving Ground, MD, June 1995.
- Howard, S. L., L.-M. Chang, and P. Atkeson. "Semiconductor Bridge Initiator Characterization and Evaluation for Use in Ballistic Propulsion Systems." ARL-TR-308, U.S. Army Research Laboratory, Aberdeen Proving Ground, MD, November 1993.
- Kooker, D. E., L.-M. Chang, and S. L. Howard. "An Attempt to Characterize Planar Flamespreading in Granular Propellant: Preliminary Results." 29th JANNAF Combustion Meeting, CPIA Publication 593, vol. I, p. 1, 1992.
- Kooker, D. E., S. L. Howard, and L.-M. Chang. "Flamespreading in Granular Solid Propellant: Initial Results." ARL-TR-446, U.S. Army Research Laboratory, Aberdeen Proving Ground, MD, June 1994.
- May, I. W., and A. W. Horst. "Charge Design Considerations and Effect on Pressure Waves in Gun." ARBRL-TR-0277, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, December 1978.
- Williams, A. W., and L. M. Chang. "Simulator Studies of an Enhanced Consumable Ignition System for a Two-Piece Cartridge at 21 Degrees Celsius and 49 Degrees Celsius." ARL-TR-128, U.S. Army Research Laboratory, Aberdeen Proving Ground, MD, May 1993.

INTENTIONALLY LEFT BLANK.

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
2	DEFENSE TECHNICAL INFO CTR ATTN DTIC DDA 8725 JOHN J KINGMAN RD STE 0944 FT BELVOIR VA 22060-6218

1	DIRECTOR US ARMY RESEARCH LAB ATTN AMSRL OP SD TA 2800 POWDER MILL RD ADELPHI MD 20783-1145
---	---

3	DIRECTOR US ARMY RESEARCH LAB ATTN AMSRL OP SD TL 2800 POWDER MILL RD ADELPHI MD 20783-1145
---	---

1	DIRECTOR US ARMY RESEARCH LAB ATTN AMSRL OP SD TP 2800 POWDER MILL RD ADELPHI MD 20783-1145
---	---

ABERDEEN PROVING GROUND

2	DIR USARL ATTN AMSRL OP AP L (305)
---	---------------------------------------

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	HQDA ATTN SARD TR MS K KOMINOS PENTAGON WASHINGTON DC 20310-0103
1	HQDA ATTN SARD TR DR R CHAIT PENTAGON WASHINGTON DC 20310-0103
1	CHAIRMAN DOD EXPLOSIVES SAFETY BD HOFFMAN BLDG 1 RM 856 C 2461 EISENHOWER AVE ALEXANDRIA VA 22331-0600
1	HQS US ARMY MATERIEL CMD ATTN AMCICP AD M FISETTE 5001 EISENHOWER AVE ALEXANDRIA VA 22333-0001
1	US ARMY BMDS CMD ADVANCED TECHLGY CTR PO BOX 1500 HUNTSVILLE AL 35807-3801
1	OFC OF THE PRODUCT MGR 155MM HOWITZER M109A6 PALADIN ATTN SFAE AR HIP IP MR R DE KLEINE PICATINNY ARSENAL NJ 07806-5000
3	PM AFAS ATTN SFAE ASM AF E LTC A ELLIS T KURIATA J SHIELDS PICATINNY ARSENAL NJ 07806-5000
1	PM AFAS ATTN SFAE ASM AF Q W WARREN PICATINNY ARSENAL NJ 07806-5000
1	CDR US ARMY ARDEC PROD BASE MDRNZTN AGENCY ATTN AMSMC PBM A SIKLOSI PICATINNY ARSENAL NJ 07806-5000

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	CDR US ARMY ARDEC PROD BASE MDRNZTN AGENCY ATTN AMSMC PBM E L LAIBSON PICATINNY ARSENAL NJ 07806-5000
1	PM PEO ARMAMENTS TANK MAIN ARMAMENT SYSTEM ATTN AMCPM TMA PICATINNY ARSENAL NJ 07806-5000
1	PM PEO ARMAMENTS TANK MAIN ARMAMENT SYSTEM ATTN AMCPM TMA 105 PICATINNY ARSENAL NJ 07806-5000
1	PM PEO ARMAMENTS TANK MAIN ARMAMENT SYSTEM ATTN AMCPM TMA 120 PICATINNY ARSENAL NJ 07806-5000
1	PM PEO ARMAMENTS TANK MAIN ARMAMENT SYSTEM ATTN AMCPM TMA AS H YUEN PICATINNY ARSENAL NJ 07806-5000
2	CDR US ARMY ARDEC ATTN SMCAR CCH V C MANDALA E FENNELL PICATINNY ARSENAL NJ 07806-5000
1	CDR US ARMY ARDEC ATTN SMCAR CCH T L ROSENDORF PICATINNY ARSENAL NJ 07806-5000
1	CDR US ARMY ARDEC ATTN SMCAR CCS PICATINNY ARSENAL NJ 07806-5000
1	CDR US ARMY ARDEC ATTN SMCAR AEE J LANNON PICATINNY ARSENAL NJ 07806-5000

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
5	COMMANDER US ARMY ARDEC ATTN SMCAR AEE WW M MEZGER J PINTO D WIEGAND P LU C HU PICATINNY ARSENAL NJ 07806-5000
10	CDR US ARMY ARDEC ATTN SMCAR AEE B D DOWNS S EINSTEIN S WESTLEY S BERNSTEIN J RUTKOWSKI B BRODMAN P O'REILLY R CIRINCIONE P HUI J O'REILLY PICATINNY ARSENAL NJ 07806-5000
1	COMMANDER US ARMY ARDEC ATTN SMCAR AES S KAPLOWITZ PICATINNY ARSENAL NJ 07806-5000
1	COMMANDER US ARMY ARDEC ATTN SMCAR FSA T M SALSBUURY PICATINNY ARSENAL NJ 07806-5000
1	COMMANDER US ARMY ARDEC ATTN SMCAR HFM E BARRIERES PICATINNY ARSENAL NJ 07806-5000
1	COMMANDER US ARMY ARDEC ATTN SMCAR FSC G FERDINAND PICATINNY ARSENAL NJ 07806-5000

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	COMMANDER US ARMY ARDEC ATTN SMCAR FS T GORA PICATINNY ARSENAL NJ 07806-5000
1	COMMANDER US ARMY ARDEC ATTN SMCAR FS DH J FENECK PICATINNY ARSENAL NJ 07806-5000
3	COMMANDER US ARMY ARDEC ATTN SMCAR FSS A R KOPMANN B MACHEK L PINDER PICATINNY ARSENAL NJ 07806-5000
1	COMMANDER US ARMY ARDEC ATTN SMCAR FSN N K CHUNG PICATINNY ARSENAL NJ 07806-5000
2	DIR BENET LABS ATTN SMCAR CCB RA G P O'HARA G A PFLEGL WATERVLIET NY 12189-4050
1	DIR BENET LABS ATTN AMSTA AR CCB T S SOPOK WATERVLIET NY 12189-4050
1	DIR BENET LABS ATTN SMCAR CCB S F HEISER WATERVLIET NY 12189-4050
2	CDR US ARMY RSRCH OFC ATTN TECHNICAL LIBRARY D MANN PO BOX 12211 RESEARCH TRIANGLE PARK NC 27709-2211

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	CDR USACECOM R&D TECHNICAL LIBRARY ATTN ASQNC ELC IS L R MYER CTR FT MONMOUTH NJ 07703-5301
1	CMDT US ARMY AVIATION SCHOOL ATTN AVIATION AGENCY FT RUCKER AL 36360
1	PM US TACOM ATTN AMCPM ABMS T DEAN WARREN MI 48092-2498
1	PM US TANK AUTOMOTIVE CMD FIGHTING VEHICLE SYSTEMS ATTN SFAE ASM BV WARREN MI 48397-5000
1	PM ABRAMS TANK SYSTEM ATTN SFAE ASM AB WARREN MI 48397-5000
1	DIR HQ TRAC RPD ATTN ATCD MA FT MONROE VA 23651-5143
1	COMMANDANT US ARMY CMD & GEN STAFF COLLEGE FT LEAVENWORTH KS 66027
1	COMMANDANT US ARMY SPCL WARFARE SCHL ATTN REV AND TRNG LIT DIV FT BRAGG NC 28307
1	COMMANDER RADFORD ARMY AMMO PLANT ATTN SMCAR QA HI LIB RADFORD VA 24141-0298
1	COMMANDER US ARMY NGIC ATTN AMXST MC 3 220 SEVENTH STREET NE CHRLTTESVILLE VA 22901-5396

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
2	COMMANDANT US ARMY FAC&S ATTN ATSF CO MW E DUBLISKY ATSF CN P GROSS FT SILL OK 73503-5600
1	COMMANDANT US ARMY FIELD ARTLRY CTR & SCHOOL ATTN ATSF CN FT SILL OK 73503-5600
1	CMDT US ARMY ARMOR SCHOOL ARMOR AGENCY ATTN ATZK CD MS M FALKOVITCH FT KNOX KY 40121-5215
2	CDR NAVAL SEA SYSTEMS CMD ATTN SEA 62R SEA 64 WASH DC 20362-5101
1	CDR US ARMY ARDEC ATTN SMCAR FSA F S FLOROFF PICATINNY ARSENAL NJ 07806-5000
1	CDR NAVAL AIR SYSTEMS CMD ATTN AIR 954 TECH LIB WASHINGTON DC 20360
4	CDR NAVAL RSRCH LAB ATTN TECHNICAL LIBRARY CODE 4410 K KAILASANATE J BORIS E ORAN WASHINGTON DC 20375-5000
1	OFFICE OF NAVAL TECHLGY ATTN ONT 213 D SIEGEL 800 N QUINCY ST ARLINGTON VA 22217-5000

NO. OF
COPIES ORGANIZATION

7 COMMANDER
NAVAL SURFACE WARFARE CTR
ATTN T C SMITH
K RICE
S MITCHELL
S PETERS
J CONSAGA
C GOTZMER
TECHNICAL LIBRARY
INDIAN HEAD MD 20640-5000

1 COMMANDER
NAVAL SURFACE WARFARE CTR
ATTN CODE 730
SILVER SPRING MD
20903-5000

1 COMMANDER
NAVAL SURFACE WARFARE CTR
ATTN CODE R 13 R BERNECKER
SILVER SPRING MD
20903-5000

1 DIRECTOR
US ARMY TRAC FT LEE
ATTN ATRC L MR CAMERON
FORT LEE VA 23801-6140

1 COMMANDER
US ARMY BELVOIR RD&E CTR
ATTN STRBE WC
FT BELVOIR VA 22060-5606

1 US ARMY RSCH DEVELOPMENT
& STNDRDZTN GROUP UK
ATTN DR ROY E RICHENBACH
PSC 802 BOX 15
FPO AE 09499-1500

1 COMMANDER
NAVAL SURFACE WARFARE CTR
ATTN CODE G30 GUNS
& MUNITIONS DIV
DAHLGREN VA 22448-5000

1 COMMANDER
NAVAL SURFACE WARFARE CTR
ATTN CODE G32 GUNS
SYSTEMS DIV
DAHLGREN VA 22448-5000

NO. OF
COPIES ORGANIZATION

1 COMMANDER
NAVAL SURFACE WARFARE CTR
ATTN CODE G33 T DORAN
DAHLGREN VA 22448-5000

1 COMMANDER
NAVAL SURFACE WARFARE CTR
ATTN CODE E23
TECHNICAL LIBRARY
DAHLGREN VA 22448-5000

2 COMMANDER
NAVAL AIR WARFARE CTR
ATTN CODE 388
C F PRICE
T BOGGS
CHINA LAKE CA 93555-6001

2 COMMANDER
NAVAL AIR WARFARE CTR
ATTN CODE 3895
T PARR
R DERR
CHINA LAKE CA 93555-6001

1 COMMANDER
NAVAL AIR WARFARE CTR
INFORMATION SCIENCE DIV
CHINA LAKE CA 93555-6001

1 COMMANDING OFFICER
NAVAL UNDERWATER SYSTEMS CTR
ATTN CODE 5B331 TECH LIBRARY
NEWPORT RI 02840

1 AFOSR NA
ATTN J TISHKOFF
BOLLING AFB DC
20332-6448

1 OLAC PL TSTL
ATTN D SHIPLETT
EDWARDS AFB CA 93523-5000

3 AL LSCF
ATTN J LEVINE
L QUINN
T EDWARDS
EDWARDS AFB CA 93523-5000

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	WL MNAA ATTN B SIMPSON EGLIN AFB FL 32542-5434
1	WL MNME ENERGETIC MATERIALS BR 2306 PERIMETER RD STE 9 EGLIN AFB FL 32542-5910
1	WL MNSH ATTN R DRABCUK EGLIN AFB FL 32542-5434
2	NASA LANGLEY RSRCH CTR ATTN M S 408 W SCALLION D WITCOFSKI HAMPTON VA 23605
1	CENTRAL INTLGNCY AGENCY OFC OF THE CNTRL RFRNCES DISSEMINATION BRANCH ROOM GE 47 HQS WASHINGTON DC 20502
1	CENTRAL INTLGNCY AGENCY ATTN J BACKOFEN NHB ROOM 5N01 WASHINGTON DC 20505
1	SDIO TNI ATTN L H CAVENY PENTAGON WASHINGTON DC 20301-7100
1	SDIO DA ATTN E GERRY PENTAGON WASHINGTON DC 21301-7100
2	HQ DNA ATTN D LEWIS A FAHEY 6801 TELEGRAPH RD ALEXANDRIA VA 22310-3398
1	DIR SANDIA NATL LABS ATTN M BAER DEPARTMENT 1512 PO BOX 5800 ALBUQUERQUE NM 87185

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	DIR SANDIA NATL LABS ATTN R CARLING COMBUSTION RSRCH FACILITY LIVERMORE CA 94551-0469
1	DIR SANDIA NATL LABS ATTN 8741 G A BENEDITTI PO BOX 969 LIVERMORE CA 94551-0969
2	DIR LLNL ATTN L 355 A BUCKINGHAM M FINGER PO BOX 808 LIVERMORE CA 94550-0622
1	DIR LOS ALAMOS NATL LAB ATTN T3 D BUTLER PO BOX 1663 LOS ALAMOS NM 87544
1	DIR LOS ALAMOS NATL LAB ATTN M DIVISION B CRAIG PO BOX 1663 LOS ALAMOS NM 87544
2	BATTELLE ATTN TWSTIAC V LEVIN 505 KING AVE COLUMBUS OH 43201-2693
1	BATTELLE PNL ATTN M C C BAMPTON PO BOX 999 RICHLAND WA 99352
1	THE UNIV OF AUSTIN TEXAS INSTITUTE FOR ADVANCED TECHLGY ATTN T M KIEHNE 4030 2 W BRAKER LANE AUSTIN TX 78759-5329
1	INST OF GAS TCHNLGY ATTN D GIDASPOW 3424 S STATE ST CHICAGO IL 60616-3896

NO. OF
COPIES ORGANIZATION

2 CPIA JHU
ATTN H J HOFFMAN
T CHRISTIAN
10630 LITTLE PATUXENT PKWY
SUITE 202
COLUMBIA MD 21044-3200

1 CALIFORNIA INST OF TECH
JET PROPULSION LABORATORY
ATTN L STRAND MS 125 224
4800 OAK GROVE DRIVE
PASADENA CA 91109

3 GEORGIA INST OF TCHNLGY
SCHL OF AEROSPACE ENGNRNG
ATTN E PRICE
W C STRAHLE
B T ZINN
ATLANTA GA 30332

1 UNIVERSITY OF MARYLAND
ATTN DR J D ANDERSON
COLLEGE PARK MD 20740

1 MASSACHUSETTS INST OF
TECHNOLOGY
ATTN T TOONG
77 MASSACHUSETTS AVE
CAMBRIDGE MA 02139-4307

1 UNIVERSITY OF ILLINOIS
DEPT OF MECH ENG
ATTN H KRIER
144MEB 1206 W GREEN ST
URBANA IL 61801

1 UNIVERSITY OF MINNESOTA
DEPT OF MECHNCL ENGNRNG
ATTN E FLETCHER
MINNEAPOLIS MN 55455

3 PENNSYLVANIA STATE UNIV
DEPT OF MECHNCL ENGNRNG
ATTN K KUO
C MERKLE
S THYNELL
V YANG
UNIVERSITY PARK PA 16802

NO. OF
COPIES ORGANIZATION

1 AFELM THE RAND CORP
ATTN LIBRARY D
1700 MAIN STREET
SANTA MONICA CA 90401-3297

1 ARROW TECHLGY ASSOC INC
ATTN W HATHAWAY
PO BOX 4218
SOUTH BURLINGTON VT 05401-0042

2 AAI CORPORATION
ATTN J FRANKLE
D CLEVELAND
PO BOX 126
HUNT VALLEY MD 21030-0126

8 ALLIANT TECHSYSTEMS INC
ATTN R E TOMPKINS
J KENNEDY
J BODE
C CANDLAND
L OSGOOD
R BURETTA
R BECKER
M SWENSON
600 SECOND ST NE
HOPKINS MN 55343

1 ELI FREEDMAN AND ASSOCIATES
ATTN E FREEDMAN
2411 DIANA RD
BALTIMORE MD 21209-1525

1 GENERAL APPLIED SCIENCES LAB
ATTN J ERDOS
77 RAYNOR AVE
RONKONKAMA NY 11779-6649

1 GENERAL ELECTRIC COMPANY
TACTICAL SYSTEM DEPT
ATTN J MANDZY
100 PLASTICS AVE
PITTSFIELD MA 01201-3698

1 IITRI
ATTN M J KLEIN
10 W 35TH STREET
CHICAGO IL 60616-3799

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
4	HERCULES INC ATTN L GIZZI D A WORRELL W J WORRELL C CHANDLER RADFORD ARMY AMMO PLANT RADFORD VA 24141-0299
2	HERCULES INC ATTN WILLIAM B WALKUP THOMAS F FARABAUGH ALLEGHENY BALLISTICS LAB PO BOX 210 ROCKET CENTER WV 26726
1	HERCULES INC ATTN R CARTWRIGHT AEROSPACE 100 HOWARD BLVD KENVILLE NJ 07847
1	HERCULES INC ATTN B M RIGGLEMAN HERCULES PLAZA WILMINGTON DE 19894
1	MARTIN MARIETTA DEFENSE SYSTEMS ATTN GEORGE KEELER RM 2260 100 PLASTICS AVE PITTSFIELD MA 01201
1	MBR RESEARCH INC ATTN DR MOSHE BEN REUVEN 601 EWING ST SUITE C 22 PRINCETON NJ 08540
1	OLIN CORPORATION ATTN F E WOLF BADGER ARMY AMMO PLANT BARABOO WI 53913
3	OLIN ORDNANCE ATTN E J KIRSCHKE A F GONZALEZ D W WORTHINGTON PO BOX 222 ST MARKS FL 32355-0222

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	OLIN ORDNANCE ATTN H A MCELROY 10101 9TH STREET NORTH ST PETERSBURG FL 33716
1	PAUL GOUGH ASSOC INC ATTN P S GOUGH 1048 SOUTH ST PORTSMOUTH NH 03801-5423
1	PHYSICS INTERNATIONAL LIBRARY ATTN H WAYNE WAMPLER PO BOX 5010 SAN LEANDRO CA 94577-0599
2	PRINCETON CMBSTN RSRCH LABS INC ATTN N A MESSINA N MER PRINCETON CORPORATE PLAZA 11 DEERPARK DR BLDG IV SUITE 119 MONMOUTH JUNCTION NJ 08852
1	TEXTRON DEFENSE SYSTEM ATTN A PATRICK 2385 REVERE BEACH PKWY EVERETT MA 02149-5900
3	ROCKWELL INTRNTNL ATTN BA08 J FLANAGAN J GRAY R B EDELMAN ROCKETDYNE DIV 6633 CANOGA AVE CANOGA PARK CA 91303-2703
2	ROCKWELL INTRNTNL SCIENCE CTR ATTN DR S CHAKRAVARTHY DR S PALANISWAMY 1049 CAMINO DOS RIOS THOUSAND OAKS CA 91360
1	SAIC ATTN M PALMER 2109 AIR PARK RD ALBUQUERQUE NM 87106
1	SOUTHWEST RSRCH INSTITUTE ATTN J P RIEGEL 6220 CULEBRA ROAD SAN ANTONIO TX 78228-0510

NO. OF
COPIES ORGANIZATION

1 SVERDRUP TECHLGY INC
ATTN DR JOHN DEUR
2001 AEROSPACE PARKWAY
BROOK PARK OH 44142

3 THIOKOL CORPORATION
ATTN R WILLER
R BIDDLE
TECH LIBRARY
ELKTON DIVISION
PO BOX 241
ELKTON MD 21921-0241

1 VERITAY TECHLGY INC
ATTN E FISHER
4845 MILLERSPORT HWY
EAST AMHERST NY 14501-0305

1 UNIVERSAL PROPULSION COMPANY
ATTN H J MCSPADDEN
25401 NORTH CENTRAL AVE
PHOENIX AZ 85027-7837

1 SRI INTERNATIONAL
ATTN TECH LIBRARY
PROPULSION SCIENCES DIV
333 RAVENWOOD AVE
MENLO PARK CA 94025-3493

NO. OF
COPIES ORGANIZATION

ABERDEEN PROVING GROUND

1 CDR USA ATC
ATTN STECS LI
R HENDRICKSEN

NO. OF
COPIES ORGANIZATION

ABERDEEN PROVING GROUND

48 DIR USARL
ATTN AMSRL WT P A HORST
AMSRL WT PA
T MINOR
A JUHASZ
K WHITE
L-M CHANG (5 CP)
J COLBURN
P CONROY
G KELLER
D KOOKER
M NUSCA
T ROSENBERGER
A BRANT
S HOWARD (5 CP)
D KRUCZYNSKI
C RUTH
I STOBIE
A WILLIAMS
AMSRL WT PC
R ANDERSON
M MILLER
AMSRL WT PD
W DRYSDALE
AMSRL WT T
W MORRISON
AMSRL WT TB
R FREY
AMSRL WT TC
W DE ROSSET
F GRACE
B SORENSEN
AMSRL WT TD
A DIETRICH
K FRANK
AMSRL WT WA
B MOORE
H ROGERS
A BARAN
AMSRL WT WB
F BRANDON

NO. OF
COPIES ORGANIZATION

AMSRL SC
W MERMAGEN
AMSRL SC C
W STUREK
AMSRL SC CC
A CELMINS
AMSRL SC I
M HIRSCHBERG
R KASTE
AMSRL SC S
A MARK
AMSRL SL
J SMITH
AMSRL SL I
D HASKELL
AMSRL SL BG
D KIRK

USER EVALUATION SHEET/CHANGE OF ADDRESS

This Laboratory undertakes a continuing effort to improve the quality of the reports it publishes. Your comments/answers to the items/questions below will aid us in our efforts.

1. ARL Report Number/Author ARL-MR-314 (Howard) Date of Report June 1996
2. Date Report Received _____
3. Does this report satisfy a need? (Comment on purpose, related project, or other area of interest for which the report will be used.) _____

4. Specifically, how is the report being used? (Information source, design data, procedure, source of ideas, etc.) _____

5. Has the information in this report led to any quantitative savings as far as man-hours or dollars saved, operating costs avoided, or efficiencies achieved, etc? If so, please elaborate. _____

6. General Comments. What do you think should be changed to improve future reports? (Indicate changes to organization, technical content, format, etc.) _____

CURRENT
ADDRESS

Organization

Name

Street or P.O. Box No.

City, State, Zip Code

7. If indicating a Change of Address or Address Correction, please provide the Current or Correct address above and the Old or Incorrect address below.

OLD
ADDRESS

Organization

Name

Street or P.O. Box No.

City, State, Zip Code

(Remove this sheet, fold as indicated, tape closed, and mail.)
(DO NOT STAPLE)

DEPARTMENT OF THE ARMY


OFFICIAL BUSINESS

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO 0001,APG,MD

POSTAGE WILL BE PAID BY ADDRESSEE

**DIRECTOR
U.S. ARMY RESEARCH LABORATORY
ATTN: AMSRL-WT-PA
ABERDEEN PROVING GROUND, MD 21005-5066**



**NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES**

